

SCHEDA TECNICA – TUBA

ANELLO VISUALIZZATORE IN NYLON

DM – VRN 4



NB. Il diametro interno degli anelli varia in base all'imboccatura.

| | |
|---|--|
|  | <p>DM-VRN4-1</p> <p><i>Descrizione: Anello in nylon</i></p> <p><i>Peso: 10,00 gr</i></p> <p><i>Dimensioni: diametro Est. 50,00 mm – Spessore 9,00 mm – h. 9,00 mm</i></p> |
|  | <p>DM-VRN4-2</p> <p><i>Descrizione: Asta in Acciaio Inox</i></p> <p><i>Peso: 12,2 gr</i></p> <p><i>Dimensioni: Lunghezza 85,00 mm * diametro 5,00 mm</i></p> |
|  | <p>DM-VRN4-3</p> <p><i>Descrizione: Manico in Faggio</i></p> <p><i>Peso: 6,5 gr</i></p> <p><i>Dimensioni: Lunghezza 70,00 mm * diametro 15,00 mm</i></p> |

Il peso totale dell'anello è di circa 29,00 grammi.

Materiali utilizzati:

- Nylon, per il bordo di appoggio;
- Asta in acciaio inox;
- Manico in Faggio.



VISUALIZATION NYLON RINGS

COMPARISON CHART – TUBA



| | VRN4A | VRN4B | VRN4C | VRN4D | VRN4E | VRN4F |
|---------------------------------|---------|-----------------------|------------------------------|------------------------|-----------------------------|----------------------|
| RIM INSIDE DIAMETER (mm) | 31.25 | 31.50 | 32.00 | 32.50 | 33.00 | 33.50 |
| Bach | 24W | 22 | 18 | - | - | - |
| Bruno Tilz | 92 24AW | M5 16 18 231 C1 C4 | 310 M3 6 7 9 231 A2 B2 C2 | 310 M8 29 30 231 C3 | 310 M1 20 21 22 24 26 27 | 310 M10 34 231 C5 |
| Denis Wick | 3 | - | 2 | 1 | - | - |
| JK | - | 24W | T5 | T4 | T3 | T2 |
| Laskey | - | - | - | 28 | 30 | - |
| Perantucci | - | PT61 | PT 30 60 62 83 84 89 | PT 32 66 68 70 72 | PT 36 38 42 | PT 48 49 88 |
| Schilke | - | 66 | 62 | 67 | - | - |
| Yamaha | 66 | 66D4 | BOBO SOLO | - | BOBO SYMPH. | - |



Dmbrass-Accessori Artigianali



dmbrass_accessoriartigianali

e-mail: info@dmbrass.com

www.dmbrass.com




DATA SHEET – TUBA

VISUALIZATION NYLON RING

DM – VR N 4



NB. The internal diameter of the rings varies according to the mouthpiece

| | |
|---|---|
|  | <p>DM-VRN4-1</p> <p><i>Description: Nylon ring</i></p> <p><i>Weight: 10.00 gr</i></p> <p><i>Dimensions: External diameter 50.00 mm (1.97 inch)</i> <i>thickness 9.00 mm (0.35 inch) - h. 9.00 mm (0.35 inch)</i></p> |
|  | <p>DM-VRN4-2</p> <p><i>Description: Stainless steel rod</i></p> <p><i>Weight: 12.2 gr</i></p> <p><i>Dimensions: Length 85.00 mm (3.35 inch) * diameter 5.00 mm (0.20 inch)</i></p> |
|  | <p>DM-VRN4-3</p> <p><i>Description: Beech handle</i></p> <p><i>Weight: 6.5 gr</i></p> <p><i>Dimensions: Length 70.00 mm (2.76 inch) * diameter 15.00 mm (0.59 inch)</i></p> |

The total weight of the ring is approximately 29.00 grams.

Used materials:

- Nylon, for the supporting edge;
- Stainless steel rod;
- Beech handle.

VISUALIZATION NYLON RINGS

COMPARISON CHART – TUBA



| | VRN4A | VRN4B | VRN4C | VRN4D | VRN4E | VRN4F |
|---------------------------------|---------|-----------------------|------------------------------|------------------------|-----------------------------|----------------------|
| RIM INSIDE DIAMETER (mm) | 31.25 | 31.50 | 32.00 | 32.50 | 33.00 | 33.50 |
| Bach | 24W | 22 | 18 | - | - | - |
| Bruno Tilz | 92 24AW | M5 16 18 231 C1 C4 | 310 M3 6 7 9 231 A2 B2 C2 | 310 M8 29 30 231 C3 | 310 M1 20 21 22 24 26 27 | 310 M10 34 231 C5 |
| Denis Wick | 3 | - | 2 | 1 | - | - |
| JK | - | 24W | T5 | T4 | T3 | T2 |
| Laskey | - | - | - | 28 | 30 | - |
| Perantucci | - | PT61 | PT 30 60 62 83 84 89 | PT 32 66 68 70 72 | PT 36 38 42 | PT 48 49 88 |
| Schilke | - | 66 | 62 | 67 | - | - |
| Yamaha | 66 | 66D4 | BOBO SOLO | - | BOBO SYMPH. | - |



Dmbrass-Accessori Artigianali



dmbrass_accessoriartigianali

e-mail: info@dmbrass.com

www.dmbrass.com

